



PRODUCT SPECIFICATIONS



PRODUCT SPECIFICATIONS



| MODEL | TCS2FL | TCS2PL | TCS4FL | TCS4PL |
|---|---|---|---|---|
| Description | CROSSRAY 2 Burner In-Built BBQ | CROSSRAY 2 Burner BBQ with Trolley | CROSSRAY 4 Burner In-Built BBQ | CROSSRAY 4 Burner BBQ with Trolley |
| Overall size W x D x H | 635 x 505 x 560mm | 1410 x 505 x 1255mm | 910 x 505 x 560mm | 1684 x 505 x 1255mm |
| Weight KG | 28kg | 38kg | 33kg | 48KG |
| Bottom cooking area / Grill | 2736 sq. cm | 2736 sq. cm | 3311 sq. cm | 3311 sq. cm |
| Top cooking rack | 912 sq.cm | 912 sq.cm | 2163 sp.cm | 2163 sp.cm |
| Total cooking area | 3648 sq.cm | 3648 sq.cm | 5474 sq.cm | 5474 sq.cm |
| No. of burners | 2 x CROSSRAY side, angled burners | 2 x CROSSRAY side, angled burners | 4 x CROSSRAY side, angled burners | 4 x CROSSRAY side, angled burners |
| Ignition type | Electronic (Battery operated) | Electronic (Battery operated) | Electronic (Battery operated) | Electronic (Battery operated) |
| MJ Rating: Main burner/ material | 13 MJ / hr ceramic infrared Burner x 2 | 13 MJ / hr ceramic infrared Burner x 2 | 13 MJ / hr ceramic infrared Burner x 4 | 13 MJ / hr ceramic infrared Burner x 4 |
| Total MJ | 26MJ / Hr | 26MJ / Hr | 52MJ / Hr | 52MJ / Hr |
| BBQ hood material | 304 SS (outer T=0.6mm, inside T=0.4mm) hood ends: Aluminium die casting | 304 SS (outer T=0.6mm, inside T=0.4mm) hood ends: Aluminium die casting | 304 SS (outer T=0.6mm, inside T=0.4mm) hood ends: Aluminium die casting | 304 SS (outer T=0.6mm, inside T=0.4mm) hood ends: Aluminium die casting |
| Handle | SS 304 | SS 304 | SS 304 | SS 304 |

PRODUCT SPECIFICATIONS



| MODEL | TCS2FL | TCS2PL | TCS4FL | TCS4PL |
|-----------------------------------|---|---|---|---|
| Grill Bowl Material | Alum. Die casting body panel Front/ Back in SS 304 | Alum. Die casting body panel Front/ Back in SS 304 | Alum. Die casting body panel Front/ Back in SS 304 | Alum. Die casting body panel Front/ Back in SS 304 |
| Trolley/Door materials | N/A | SPCC Double wall 304 SS (0.5mm); Inside SECC (0.5mm) | N/A | SPCC Double wall 304 SS (0.5mm); Inside SECC (0.5mm) |
| LED System | Green light on control knobs | Green light on control knobs | Green light on control knobs | Green light on control knobs |
| Drain Tray | Steel painted, Aluminium extruded handle (with finger hole) | Steel painted, Aluminium extruded handle (with finger hole) | Steel painted, Aluminium extruded handle (with finger hole) | Steel painted, Aluminium extruded handle (with finger hole) |
| Side shelf materials | N/A | SS 304 with Aluminium die cast end cap | N/A | SS 304 with Aluminium die cast end cap |
| Castor wheel type and size | N/A | 3" Industrial Castors x 4 (left with break) | N/A | 3" Industrial Castors x 4 (left with break) |
| Qty Of Boxes Per Unit | 1 | 2 | 1 | 2 |
| Suitable with a Rotisserie | Available as an Accessory | Available as an Accessory | Available as an Accessory | Available as an Accessory |
| Grill plate | Grill plates supplied as standard. 2 per BBQ | Grill plates supplied as standard. 2 per BBQ | Grill plates supplied as standard. 3 per BBQ | Grill plates supplied as standard. 3 per BBQ |
| Hot plate | Available as an accessory | Available as an accessory | Available as an accessory | Available as an accessory |
| Cover | Available as an accessory | Available as an accessory | Available as an accessory | Available as an accessory |
| Natural Gas Compatible | Available as an accessory | Available as an accessory | Available as an accessory | Available as an accessory |
| Temperature Gauge | YES | YES | YES | YES |
| Warranty | 2 years | 2 years | 2 years | 2 years |